



Author index

Volume 179 (1996)

-
- | | | |
|-------------------------|---------------------------|--------------------------|
| Bowen, A.J. 179, 161 | Niedoroda, A.W. 179, 73 | Stull, J.K. 179, 73 |
| Bricker, S.B. 179, 27 | Niedoroda, A.W. 179, 91 | Stull, J.K. 179, 91 |
| Brooks, J.M. 179, 149 | Niedoroda, A.W. 179, 109 | Stull, J.K. 179, 109 |
| Chartrand, A.B. 179, 61 | Peven, C.S. 179, 135 | Sturley, D.R.M. 179, 161 |
| Coakley, J.P. 179, 3 | Pham, T. 179, 17 | Swift, D.J.P. 179, 73 |
| Greene, G.E. 179, 61 | Reed, C.W. 179, 91 | Swift, D.J.P. 179, 91 |
| Hillman, R.E. 179, 135 | Reed, C.W. 179, 109 | Swift, D.J.P. 179, 109 |
| Huh, C.-A. 179, 47 | Risk, M.J. 179, 3 | Uhler, A.D. 179, 135 |
| Lemieux, C. 179, 17 | Ruth, E. 179, 61 | Venkatesan, M.I. 179, 61 |
| Lum, K. 179, 17 | Sericano, J.L. 179, 149 | Wade, T.L. 179, 149 |
| | Steinhauer, W.G. 179, 135 | Wong, G.T.F. 179, 91 |



Subject index

Volume 179 (1996)

American oyster (*Crassostrea virginica*); Marine environment; Organic contaminants; Galveston Bay, Texas; Bioaccumulation; Biomonitoring 179, 149

Anthropogenic metals; Pollution; Southern California Bight; Sediments; Sewage 179, 47

Aquatic environment; DDT; St. Lawrence River, Canada; Great Lakes Basin, Canada 179, 17

Benthic invertebrate species; Contaminant dispersion; Biodiffusion coefficient; Sea bed mixing; Bioturbation; Palos Verdes continental margin 179, 91

Bioaccumulation; Marine environment; American oyster (*Crassostrea virginica*); Organic contaminants; Galveston Bay, Texas; Biomonitoring 179, 149

Biodiffusion coefficient; Contaminant dispersion; Sea bed mixing; Bioturbation; Benthic invertebrate species; Palos Verdes continental margin 179, 91

Biomonitoring; Marine environment; American oyster (*Crassostrea virginica*); Organic contaminants; Galveston Bay, Texas; Bioaccumulation 179, 149

Bioturbation; Contaminant dispersion; Biodiffusion coefficient; Sea bed mixing; Benthic invertebrate species; Palos Verdes continental margin 179, 91

Bioturbators; Marine environment; Palos Verdes shelf, California; Wastewater; DDT; *p,p'*-DDE; PCBs; Marine sediment contamination 179, 73

Burlington, Canada; Natural tracers; Coprostanol; Contaminated sediments; Nitrogen isotope ratios; Carbon isotope ratios; Sewage treatment plant 179, 3

Carbon isotope ratios; Natural tracers; Coprostanol; Contaminated sediments; Nitrogen isotope ratios; Sewage treatment plant; Burlington, Canada 179, 3

Contaminant dispersal; Marine environment; DDT; *p,p'*-DDE; Palos Verdes shelf, California; Shelf sediment dynamics; Resuspension Model; Contaminant Release Model 179, 109

Contaminant dispersion; Biodiffusion coefficient; Sea bed mixing; Bioturbation; Benthic invertebrate species; Palos Verdes continental margin 179, 91

Contaminant Release Model; Marine environment; Contaminant dispersal; DDT; *p,p'*-DDE; Palos Verdes shelf, California; Shelf sediment dynamics; Resuspension Model 179, 109

Contaminant transport, modelling; Tidal modelling; Lunenburg Bay, Nova Scotia 179, 161

Contaminated sediments; Natural tracers; Coprostanol; Nitrogen isotope ratios; Carbon isotope ratios; Sewage treatment plant; Burlington, Canada 179, 3

Coprostanol; Natural tracers; Contaminated sediments; Nitrogen isotope ratios; Carbon isotope ratios; Sewage treatment plant; Burlington, Canada 179, 3

DDT; Aquatic environment; St. Lawrence River, Canada; Great Lakes Basin, Canada 179, 17

DDT; Marine environment; Contaminant dispersal; *p,p'*-DDE; Palos Verdes shelf, California; Shelf sediment dynamics; Resuspension Model; Contaminant Release Model 179, 109

DDT; Marine environment; Palos Verdes shelf, California; Wastewater; *p,p'*-DDE; PCBs; Bioturbators; Marine sediment contamination 179, 73

DDT; Polynuclear aromatic hydrocarbons (PAH); Polychlorinated biphenyl congeners (PCB); Tributyltin (TBT); *Mytilus edulis*; Hudson-Raritan Estuary, New York; Long Island Sound, New York 179, 135

DDT wastes, ocean disposal; Santa Monica Basin, California; Dumpsites 179, 61

Dumpsites; DDT wastes, ocean disposal; Santa Monica Basin, California 179, 61

Estuarine waters; Sediment retention; Metal retention; Subtidal environment; Salt marsh; Narragansett Bay, Rhode island 179, 27

Galveston Bay, Texas; Marine environment; American oyster (*Crassostrea virginica*); Organic contaminants; Bioaccumulation; Biomonitoring 179, 149

Great Lakes Basin, Canada; DDT; Aquatic environment; St. Lawrence River, Canada 179, 17

Hudson-Raritan Estuary, New York; Polynuclear aromatic hydrocarbons (PAH); Polychlorinated biphenyl congeners (PCB); DDT; Tributyltin (TBT); *Mytilus edulis*; Long Island Sound, New York 179, 135

Long Island Sound, New York; Polynuclear aromatic hydrocarbons (PAH); Polychlorinated biphenyl congeners (PCB); DDT; Tributyltin (TBT); *Mytilus edulis*; Hudson-Raritan Estuary, New York 179, 135

Lunenburg Bay, Nova Scotia; Contaminant transport, modelling; Tidal modelling 179, 161

Marine environment; American oyster (*Crassostrea virginica*); Organic contaminants; Galveston Bay, Texas; Bioaccumulation; Biomonitoring 179, 149

Marine environment; Contaminant dispersal; DDT; *p,p'*-DDE; Palos Verdes shelf, California; Shelf sediment dynamics; Resuspension Model; Contaminant Release Model 179, 109

Marine environment; Palos Verdes shelf, California; Wastewater; DDT; *p,p'*-DDE; PCBs; Bioturbators; Marine sediment contamination 179, 73

Marine sediment contamination; Marine environment; Palos Verdes shelf, California; Wastewater; DDT; *p,p'*-DDE; PCBs; Bioturbators 179, 73

Metal retention; Estuarine waters; Sediment retention; Subtidal environment; Salt marsh; Narragansett Bay, Rhode island 179, 27

Mytilus edulis; Polynuclear aromatic hydrocarbons (PAH); Polychlorinated biphenyl congeners (PCB); DDT; Tributyltin (TBT); Hudson-Raritan Estuary, New York; Long Island Sound, New York 179, 135

Narragansett Bay, Rhode island; Estuarine waters; Sediment retention; Metal retention; Subtidal environment; Salt marsh 179, 27

Natural tracers; Coprostanol; Contaminated sediments; Nitrogen isotope ratios; Carbon isotope ratios; Sewage treatment plant; Burlington, Canada 179, 3

Nitrogen isotope ratios; Natural tracers; Coprostanol; Contaminated sediments; Carbon isotope ratios; Sewage treatment plant; Burlington, Canada 179, 3

Organic contaminants; Marine environment; American oyster (*Crassostrea virginica*); Galveston Bay, Texas; Bioaccumulation; Biomonitoring 179, 149

***p,p'*-DDE**; Marine environment; Contaminant dispersal; DDT; Palos Verdes shelf, California; Shelf sediment dynamics; Resuspension Model; Contaminant Release Model 179, 109

***p,p'*-DDE**; Marine environment; Palos Verdes shelf, California; Wastewater; DDT; PCBs; Bioturbators; Marine sediment contamination 179, 73

Palos Verdes continental margin; Contaminant dispersion; Biodiffusion coefficient; Sea bed mixing; Bioturbation; Benthic invertebrate species 179, 91

Palos Verdes shelf, California; Marine environment; Contaminant dispersal; DDT; *p,p'*-DDE; Shelf sediment dynamics; Resuspension Model; Contaminant Release Model 179, 109

Palos Verdes shelf, California; Marine environment; Wastewater; DDT; *p,p'*-DDE; PCBs; Bioturbators; Marine sediment contamination 179, 73

PCBs; Marine environment; Palos Verdes shelf, California; Wastewater; DDT; *p,p'*-DDE; Bioturbators; Marine sediment contamination 179, 73

Pollution; Anthropogenic metals; Southern California Bight; Sediments; Sewage 179, 47

Polychlorinated biphenyl congeners (PCB); Polynuclear aromatic hydrocarbons (PAH); DDT; Tributyltin (TBT); *Mytilus edulis*; Hudson-Raritan Estuary, New York; Long Island Sound, New York 179, 135

Polynuclear aromatic hydrocarbons (PAH); Polychlorinated biphenyl congeners (PCB); DDT; Tributyltin (TBT); *Mytilus edulis*; Hudson-Raritan Estuary, New York; Long Island Sound, New York 179, 135

Resuspension Model; Marine environment; Contaminant dispersal; DDT; *p,p'*-DDE; Palos Verdes shelf, California; Shelf sediment dynamics; Contaminant Release Model 179, 109

Salt marsh; Estuarine waters; Sediment retention; Metal retention; Subtidal environment; Narragansett Bay, Rhode island 179, 27

Santa Monica Basin, California; DDT wastes, ocean disposal; Dumpsites 179, 61

Sea bed mixing; Contaminant dispersion; Biodiffusion coefficient; Bioturbation; Benthic invertebrate species; Palos Verdes continental margin 179, 91

Sediment retention; Estuarine waters; Metal retention; Subtidal environment; Salt marsh; Narragansett Bay, Rhode island 179, 27

Sediments; Anthropogenic metals; Pollution; Southern California Bight; Sewage 179, 47

Sewage; Anthropogenic metals; Pollution; Southern California Bight; Sediments 179, 47

Sewage treatment plant; Natural tracers; Coprostanol; Contaminated sediments; Nitrogen isotope ratios; Carbon isotope ratios; Burlington, Canada 179, 3

Shelf sediment dynamics; Marine environment; Contaminant dispersal; DDT; *p,p'*-DDE; Palos Verdes shelf, California;

Resuspension Model; Contaminant Release Model 179, 109

Southern California Bight; Anthropogenic metals; Pollution; Sediments; Sewage 179, 47

St. Lawrence River, Canada; DDT; Aquatic environment; Great Lakes Basin, Canada 179, 17

Subtidal environment; Estuarine waters; Sediment retention; Metal retention; Salt marsh; Narragansett Bay, Rhode island 179, 27

Tidal modelling; Contaminant transport, modelling; Lunenburg Bay, Nova Scotia 179, 161

Tributyltin (TBT); Polynuclear aromatic hydrocarbons (PAH); Polychlorinated biphenyl congeners (PCB); DDT; *Mytilus edulis*; Hudson-Raritan Estuary, New York; Long Island Sound, New York 179, 135

Wastewater; Marine environment; Palos Verdes shelf, California; DDT; *p,p'*-DDE; PCBs; Bioturbators; Marine sediment contamination 179, 73